CDE 2.22059

185025

WASTE STREAM TECHNOLOGY, INC.

302 Grote Street
Buffalo, NY 14207
(716) 876-5290

Analytical Data Report
Report Date: 10/05/07
Work Order Number: 7H22023

Prepared For
Ken Paisley

Sevenson/G-Jobs

2749 Lockport Road

Niagara Falls, NY 14305

Fax: (716) 285-4201

Site: Cornell-Dubilier Electronics G-238

Enclosed are the results of analyses for samples received by the laboratory on 08/22/07. If you have any questions concerning this report, please feel free to contact me.

Sincerely,

Brian S. Schepart, Ph.D., Laboratory Director

ENVIRONMENTAL LABORATORY ACCREDITATION CERTIFICATION NUMBERS
NYSDOH ELAP #11179 NJDEPE #73977 PADEP #68757 CTDPH #PH-0306 MADEP #M-NY068

Sevenson/G-Jobs	Project: Cornell-Dubilier Electronics	
2749 Lockport Road	Project Number: Cornell-Dubilier Electronics G-238	Reported:
Niagara Falls NY, 14305	Project Manager: Ken Paisley	10/05/07 15:45

ANALYTICAL REPORT FOR SAMPLES

Sample ID	Laboratory ID	Matrix	Date Sampled	Date Received
CD-6/7-Cons Lab North-001	7H22023-01	Soil	08/15/07 13:26	08/22/07 09:30
Bldg.-1A-Walls	7H22023-02	Soil	08/20/07 08:30	08/22/07 09:30
Bldg.-1A-Floor	7H22023-03	Soil	08/20/07 09:10	08/22/07 09:30
Bldg.-1B-Walls	7H22023-04	Soil	08/20/07 09:30	08/22/07 09:30
Bldg.-1B-Floor	7H22023-05	Soil	08/20/07 10:00	08/22/07 09:30
Bldg.-1C-Walls	7H22023-06	Soil	08/20/07 10:30	08/22/07 09:30
Bldg.-1C-Floor	7H22023-07	Soil	08/20/07 11:00	08/22/07 09:30
Bldg.-1D-Walls	7H22023-08	Soil	08/21/07 06:45	08/22/07 09:30
Bldg.-1D-Floor	7H22023-09	Soil	08/21/07 07:30	08/22/07 09:30
Bldg.-1West-Walls	7H22023-10	Soil	08/21/07 08:00	08/22/07 09:30
Bldg.-1-West-Floor	7H22023-11	Soil	08/21/07 08:30	08/22/07 09:30
Bldg.-1-East-Wall	7H22023-12	Soil	08/21/07 08:55	08/22/07 09:30
Bldg.-1-East-Floor	7H22023-13	Soil	08/21/07 09:20	08/22/07 09:30

Case Narrative

This narrative pertains to the 13 samples from the Cornell-Dubilier Electronics G-238 site, collected on August 15, August 20 and August 21, 2007 and received on August 22, 2007 . The samples correspond to the Waste Stream Technology Inc. work order number 7H22023 and sample ID numbers 7H22023-01 through 7H22023-13 .

1. Sample Receipt and Preservation: The samples arrived at the laboratory carefully packed in one cooler and the custody seal on the cooler was intact . The temperature inside the cooler was measured and found to be within acceptable limits (@ 3.8°C) . All of the containers in the cooler except for sample 7H22023-09 arrived intact . Most of the volume from the broken containers were recovered . The labels on the containers were found to be complete . The information on the sample labels on the containers agreed with the information on the chain-of-custody forms placed inside the shipping cooler .

The sample receipt checklists for this work order number are included in the Chain-of-Custody section of the final result report .

2. Sample Holding Times: All required holding times were met for all of the extractions and analyses performed on the samples from work order number 7H22023 .

3. Method Blank Analysis: The method blanks analyzed for each of the analytical parameters performed on the samples in work order number 7H22023 did not contain any target analytes .

4. Laboratory Control Sample (LCS) Analysis: Recoveries of the target analytes from the laboratory control samples associated with the analyses of the samples from work order number 7H22023 were found to be within the control limits, with the following exception :

4.1 The recoveries of total cresols (o, m & p) for semivolatile LCS's AH73007-BS1 and AH73007-BS2 were below QC limits and were flagged with the L qualifier . Total cresols (o, m & p) were not detected in the samples from work order number 7H22023 and were

flagged with the J-02 qualifier .

5. Matrix Spike and Matrix Spike Duplicate Analysis: Matrix spike and matrix spike duplicates were performed for TCLP metals analysis on sample 7H23003-01 (a sample not from work order number 7H22023, but prepared and analyzed in the same analytical batch) . All recoveries and RPDs were within QC limits, with the following exception :

5.1 The recovery of TCLP barium for the MSD sample was above QC limits and was flagged with the G qualifier .

Matrix spike and matrix spike duplicates were performed for TCLP mercury analysis on samples 7H28005-01 and 7H30016-04 (samples not from work order number 7H22023, but prepared and analyzed in the same analytical batch) . All recoveries and RPDs were within QC limits .

Matrix spike and matrix spike duplicates were performed for PCBs analysis on sample 7H22023-11 . The results from the MS and MSD samples were unable to be used because of the high level of analyte in the source sample .

6. Matrix Spike (MS) Analysis: Matrix spike analysis was performed for TCLP volatiles analysis on samples 7H22023-02, 7H22023-13, and 7H24009-04 and 7H24009-16 (samples not from work order number 7H22023, but prepared and analyzed in the same analytical batch) . All recoveries were within QC limits .

Matrix spike analysis was performed for TCLP pesticides analysis on sample 7H22023-02 . All recoveries were within QC limits .

Matrix spike analysis was performed for TCLP herbicides analysis on sample 7H22023-13 . All recoveries were within QC limits .

Matrix spike analysis was performed for TCLP semivolatile analysis on sample 7H22023-08 . All recoveries were within QC limits .

7. Duplicate (DUP) Analysis: Duplicate analysis was performed for pH analysis on sample 7H22023-13 . The RPD was within QC limits .

8. Surrogate Compound Recovery: The surrogate recoveries from the GC and GC/MS analyses of the Cornell-Dubilier Electronics site samples from work order number 7H22023 and the associated quality control sample analyses were found to be within laboratory quality control limits, with the following exceptions :

8.1 The recoveries of surrogate compounds tetrachloro-meta-xylene and decachlorobiphenyl for PCBs samples 7H22023-01RE1, 7H22023-05RE1, 7H22023-07RE1, 7H22023-09RE1 and 7H22023-11RE1 were outside QC limits due to sample dilution required from high analyte concentration and/or matrix interferences and were flagged with the S-06 and U qualifier .

8.2 The recoveries of surrogate compounds 2-fluorophenol and phenol-d6 for semivolatile samples 7H22023-03, 7H22023-05, 7H22023-07, 7H22023-08, 7H22023-11, 7H22023-12 and 7H22023-13 were outside QC limits due to a sample matrix effect and were flagged with the S-04 qualifier .

8.3 The recoveries of surrogate compound phenol-d6 for semivolatile samples 7H22023-04, 7H22023-06 and 7H22023-10 were outside QC limits due to a sample matrix effect and were flagged with the S-04 qualifier .

9. Laboratory Authentication Statement: I certify, to the best of my knowledge, that the information submitted in this analytical data report is true, accurate and complete, and conforms to the current Sampling and Analysis Plan for the Cornell-Dubilier Electronics Site . The Laboratory Director, or his designee, has authorized release of this data as verified by the report page signature .

Sevenson/G-Jobs	Project: Cornell-Dubilier Electronics	
2749 Lockport Road	Project Number: Cornell-Dubilier Electronics G-238	**Reported:**
Niagara Falls NY, 14305	Project Manager: Ken Paisley	10/05/07 15:45

TCLP Metals by 6000/7000 Series Methods

Waste Stream Technology Inc.

Analyte	Result	Reporting Limit	Units	Dilution	Batch	Prepared	Analyzed	Method	Notes
Bldg.-1A-Walls (7H22023-02) Soil Sampled: 08/20/07 08:30 Received: 08/22/07 09:30									
Mercury	ND	0.001	mg/L	1	AH73006	08/30/07	08/30/07	EPA 7470A	U
Silver	ND	0.025	"	5	AH72412	08/24/07	08/31/07	6010B	U
Arsenic	ND	0.045	"	"	"	"	"	"	U
Barium	**0.284**	0.025	"	"	"	"	"	"	
Cadmium	**0.164**	0.025	"	"	"	"	"	"	
Chromium	ND	0.025	"	"	"	"	"	"	U
Lead	**1.46**	0.075	"	"	"	"	"	"	
Selenium	ND	0.095	"	"	"	"	"	"	U
Bldg.-1A-Floor (7H22023-03) Soil Sampled: 08/20/07 09:10 Received: 08/22/07 09:30									
Mercury	ND	0.001	mg/L	1	AH73006	08/30/07	08/30/07	EPA 7470A	U
Silver	ND	0.025	"	5	AH72412	08/24/07	08/31/07	6010B	U
Arsenic	ND	0.045	"	"	"	"	"	"	U
Barium	**0.254**	0.025	"	"	"	"	"	"	B
Cadmium	ND	0.025	"	"	"	"	"	"	U
Chromium	ND	0.025	"	"	"	"	"	"	U
Lead	ND	0.075	"	"	"	"	"	"	U
Selenium	ND	0.095	"	"	"	"	"	"	U
Bldg.-1B-Walls (7H22023-04) Soil Sampled: 08/20/07 09:30 Received: 08/22/07 09:30									
Mercury	ND	0.001	mg/L	1	AH73006	08/30/07	08/30/07	EPA 7470A	U
Silver	ND	0.025	"	5	AH72412	08/24/07	08/31/07	6010B	U
Arsenic	ND	0.045	"	"	"	"	"	"	U
Barium	**0.158**	0.025	"	"	"	"	"	"	B
Cadmium	ND	0.025	"	"	"	"	"	"	U
Chromium	ND	0.025	"	"	"	"	"	"	U
Lead	**0.699**	0.075	"	"	"	"	"	"	
Selenium	ND	0.095	"	"	"	"	"	"	U

Sevenson/G-Jobs	Project: Cornell-Dubilier Electronics	
2749 Lockport Road	Project Number: Cornell-Dubilier Electronics G-238	**Reported:**
Niagara Falls NY, 14305	Project Manager: Ken Paisley	10/05/07 15:45

TCLP Metals by 6000/7000 Series Methods

Waste Stream Technology Inc.

Analyte	Result	Reporting Limit	Units	Dilution	Batch	Prepared	Analyzed	Method	Notes
Bldg.-1B-Floor (7H22023-05) Soil Sampled: 08/20/07 10:00 Received: 08/22/07 09:30									
Mercury	ND	0.001	mg/L	1	AH73006	08/30/07	08/30/07	EPA 7470A	U
Silver	ND	0.025	"	5	AH72412	08/24/07	08/31/07	6010B	U
Arsenic	ND	0.045	"	"	"	"	"	"	U
Barium	**0.210**	0.025	"	"	"	"	"	"	B
Cadmium	ND	0.025	"	"	"	"	"	"	U
Chromium	ND	0.025	"	"	"	"	"	"	U
Lead	ND	0.075	"	"	"	"	"	"	U
Selenium	ND	0.095	"	"	"	"	"	"	U
Bldg.-1C-Walls (7H22023-06) Soil Sampled: 08/20/07 10:30 Received: 08/22/07 09:30									
Mercury	ND	0.001	mg/L	1	AH73006	08/30/07	08/30/07	EPA 7470A	U
Silver	ND	0.025	"	5	AH72412	08/24/07	08/31/07	6010B	U
Arsenic	ND	0.045	"	"	"	"	"	"	U
Barium	**0.271**	0.025	"	"	"	"	"	"	
Cadmium	ND	0.025	"	"	"	"	"	"	U
Chromium	**0.145**	0.025	"	"	"	"	"	"	
[illegible]d	ND	0.075	"	"	"	"	"	"	U
[illegible]ium	ND	0.095	"	"	"	"	"	"	U
Bldg.-1C-Floor (7H22023-07) Soil Sampled: 08/20/07 11:00 Received: 08/22/07 09:30									
Mercury	ND	0.001	mg/L	1	AI70406	09/04/07	09/04/07	EPA 7470A	U
Silver	ND	0.025	"	5	AH72412	08/24/07	08/31/07	6010B	U
Arsenic	ND	0.045	"	"	"	"	"	"	U
Barium	**0.964**	0.025	"	"	"	"	"	"	
Cadmium	**0.026**	0.025	"	"	"	"	"	"	
Chromium	ND	0.025	"	"	"	"	"	"	U
Lead	**0.994**	0.075	"	"	"	"	"	"	
Selenium	ND	0.095	"	"	"	"	"	"	U

Sevenson/G-Jobs	Project: Cornell-Dubilier Electronics	
2749 Lockport Road	Project Number: Cornell-Dubilier Electronics G-238	**Reported:**
Niagara Falls NY, 14305	Project Manager: Ken Paisley	10/05/07 15:45

TCLP Metals by 6000/7000 Series Methods

Waste Stream Technology Inc.

Analyte	Result	Reporting Limit	Units	Dilution	Batch	Prepared	Analyzed	Method	Notes
Bldg.-1D-Walls (7H22023-08) Soil Sampled: 08/21/07 06:45 Received: 08/22/07 09:30									
Mercury	ND	0.001	mg/L	1	AI70406	09/04/07	09/04/07	EPA 7470A	U
Silver	ND	0.025	"	5	AH72412	08/24/07	08/31/07	6010B	U
Arsenic	ND	0.045	"	"	"	"	"	"	U
Barium	**0.232**	0.025	"	"	"	"	"	"	B
Cadmium	**0.045**	0.025	"	"	"	"	"	"	
Chromium	**0.048**	0.025	"	"	"	"	"	"	
Lead	**7.79**	0.075	"	"	"	"	"	"	
Selenium	ND	0.095	"	"	"	"	"	"	U
Bldg.-1D-Floor (7H22023-09) Soil Sampled: 08/21/07 07:30 Received: 08/22/07 09:30									
Mercury	ND	0.001	mg/L	1	AI70406	09/04/07	09/04/07	EPA 7470A	U
Silver	ND	0.025	"	5	AH72412	08/24/07	08/31/07	6010B	U
Arsenic	ND	0.045	"	"	"	"	08/31/07	"	U
Barium	**0.112**	0.025	"	"	"	"	"	"	B
Cadmium	ND	0.025	"	"	"	"	"	"	U
Chromium	**0.137**	0.025	"	"	"	"	"	"	
Lead	ND	0.075	"	"	"	"	"	"	U
Selenium	ND	0.095	"	"	"	"	"	"	U
Bldg.-1West-Walls (7H22023-10) Soil Sampled: 08/21/07 08:00 Received: 08/22/07 09:30									
Mercury	ND	0.001	mg/L	1	AI70406	09/04/07	09/04/07	EPA 7470A	U
Silver	ND	0.025	"	5	AH72412	08/24/07	08/31/07	6010B	U
Arsenic	ND	0.045	"	"	"	"	"	"	U
Barium	**0.749**	0.025	"	"	"	"	"	"	
Cadmium	ND	0.025	"	"	"	"	"	"	U
Chromium	**0.080**	0.025	"	"	"	"	"	"	
Lead	ND	0.075	"	"	"	"	"	"	U
Selenium	ND	0.095	"	"	"	"	"	"	U

Sevenson/G-Jobs	Project: Cornell-Dubilier Electronics	
2749 Lockport Road	Project Number: Cornell-Dubilier Electronics G-238	**Reported:**
Niagara Falls NY, 14305	Project Manager: Ken Paisley	10/05/07 15:45

TCLP Metals by 6000/7000 Series Methods

Waste Stream Technology Inc.

Analyte	Result	Reporting Limit	Units	Dilution	Batch	Prepared	Analyzed	Method	Notes
Bldg.-1-West-Floor (7H22023-11) Soil Sampled: 08/21/07 08:30 Received: 08/22/07 09:30									
Mercury	ND	0.001	mg/L	1	AI70406	09/04/07	09/04/07	EPA 7470A	U
Silver	ND	0.025	"	5	AH72412	08/24/07	08/31/07	6010B	U
Arsenic	ND	0.045	"	"	"	"	"	"	U
Barium	**0.415**	0.025	"	"	"	"	"	"	
Cadmium	**60.4**	0.025	"	"	"	"	"	"	
Chromium	ND	0.025	"	"	"	"	"	"	U
Lead	**44.5**	0.075	"	"	"	"	"	"	
Selenium	ND	0.095	"	"	"	"	"	"	U
Bldg.-1-East-Wall (7H22023-12) Soil Sampled: 08/21/07 08:55 Received: 08/22/07 09:30									
Mercury	ND	0.001	mg/L	1	AI70406	09/04/07	09/04/07	EPA 7470A	U
Silver	ND	0.025	"	5	AH72412	08/24/07	08/31/07	6010B	U
Arsenic	ND	0.045	"	"	"	"	08/31/07	"	U
Barium	**0.266**	0.025	"	"	"	"	"	"	
Cadmium	ND	0.025	"	"	"	"	"	"	U
Chromium	**0.055**	0.025	"	"	"	"	"	"	
[illegible]d	ND	0.075	"	"	"	"	"	"	U
[illegible]nium	ND	0.095	"	"	"	"	"	"	U
Bldg.-1-East-Floor (7H22023-13) Soil Sampled: 08/21/07 09:20 Received: 08/22/07 09:30									
Mercury	ND	0.001	mg/L	1	AI70406	09/04/07	09/04/07	EPA 7470A	U
Silver	ND	0.025	"	5	AH72412	08/24/07	08/31/07	6010B	U
Arsenic	ND	0.045	"	"	"	"	"	"	U
Barium	**0.174**	0.025	"	"	"	"	"	"	B
Cadmium	**0.091**	0.025	"	"	"	"	"	"	
Chromium	**0.027**	0.025	"	"	"	"	"	"	
Lead	**0.114**	0.075	"	"	"	"	"	"	
Selenium	ND	0.095	"	"	"	"	"	"	U

Sevenson/G-Jobs	Project: Cornell-Dubilier Electronics	
2749 Lockport Road	Project Number: Cornell-Dubilier Electronics G-238	**Reported:**
Niagara Falls NY, 14305	Project Manager: Ken Paisley	10/05/07 15:45

Polychlorinated Biphenyls by EPA Method 8082

Waste Stream Technology Inc.

Analyte	Result	Reporting Limit	Units	Dilution	Batch	Prepared	Analyzed	Method	Notes
CD-6/7-Cons Lab North-001 (7H22023-01RE1) Soil Sampled: 08/15/07 13:26 Received: 08/22/07 09:30									
Aroclor 1016	ND	22500	ug/kg dry	500	AH72601	08/26/07	08/27/07	8082	U
Aroclor 1221	ND	22500	"	"	"	"	"	"	U
Aroclor 1232	ND	22500	"	"	"	"	"	"	U
Aroclor 1242	ND	22500	"	"	"	"	"	"	U
Aroclor 1248	ND	22500	"	"	"	"	"	"	U
Aroclor 1254	**169000**	22500	"	"	"	"	"	"	
Aroclor 1260	ND	22500	"	"	"	"	"	"	U
Surrogate: Tetrachloro-meta-xylene		*%*	*70-125*		"	"	"	"	*S-06, U*
Surrogate: Decachlorobiphenyl		*%*	*60-125*		"	"	"	"	*S-06, U*
Bldg.-1A-Floor (7H22023-03) Soil Sampled: 08/20/07 09:10 Received: 08/22/07 09:30									
Aroclor 1016	ND	495	ug/kg dry	10	AH72601	08/26/07	08/27/07	8082	U
Aroclor 1221	ND	495	"	"	"	"	"	"	U
Aroclor 1232	ND	495	"	"	"	"	"	"	U
Aroclor 1242	ND	495	"	"	"	"	"	"	U
Aroclor 1248	ND	495	"	"	"	"	"	"	U
Aroclor 1254	**7080**	495	"	"	"	"	"	"	
Aroclor 1260	ND	495	"	"	"	"	"	"	U
Surrogate: Tetrachloro-meta-xylene		*102 %*	*70-125*		"	"	"	"	
Surrogate: Decachlorobiphenyl		*98.1 %*	*60-125*		"	"	"	"	
Bldg.-1B-Floor (7H22023-05RE1) Soil Sampled: 08/20/07 10:00 Received: 08/22/07 09:30									
Aroclor 1016	ND	9900	ug/kg dry	200	AH72601	08/26/07	08/27/07	8082	U
Aroclor 1221	ND	9900	"	"	"	"	"	"	U
Aroclor 1232	ND	9900	"	"	"	"	"	"	U
Aroclor 1242	ND	9900	"	"	"	"	"	"	U
Aroclor 1248	ND	9900	"	"	"	"	"	"	U
Aroclor 1254	**91300**	9900	"	"	"	"	"	"	
Aroclor 1260	ND	9900	"	"	"	"	"	"	U
Surrogate: Tetrachloro-meta-xylene		*%*	*70-125*		"	"	"	"	*S-06, U*
Surrogate: Decachlorobiphenyl		*%*	*60-125*		"	"	"	"	*S-06, U*

Sevenson/G-Jobs	Project: Cornell-Dubilier Electronics	
2749 Lockport Road	Project Number: Cornell-Dubilier Electronics G-238	**Reported:**
Niagara Falls NY, 14305	Project Manager: Ken Paisley	10/05/07 15:45

Polychlorinated Biphenyls by EPA Method 8082

Waste Stream Technology Inc.

Analyte	Result	Reporting Limit	Units	Dilution	Batch	Prepared	Analyzed	Method	Notes
Bldg.-1C-Floor (7H22023-07RE1) Soil Sampled: 08/20/07 11:00 Received: 08/22/07 09:30									
Aroclor 1016	ND	49500	ug/kg dry	1000	AH72601	08/26/07	08/27/07	8082	U
Aroclor 1221	ND	49500	"	"	"	"	"	"	U
Aroclor 1232	ND	49500	"	"	"	"	"	"	U
Aroclor 1242	ND	49500	"	"	"	"	"	"	U
Aroclor 1248	ND	49500	"	"	"	"	"	"	U
Aroclor 1254	**1650000**	49500	"	"	"	"	"	"	
Aroclor 1260	ND	49500	"	"	"	"	"	"	U
Surrogate: Tetrachloro-meta-xylene		*%*	*70-125*		"	"	"	"	*S-06, U*
Surrogate: Decachlorobiphenyl		*%*	*60-125*		"	"	"	"	*S-06, U*
Bldg.-1D-Floor (7H22023-09RE1) Soil Sampled: 08/21/07 07:30 Received: 08/22/07 09:30									
Aroclor 1016	ND	8250	ug/kg dry	200	AH72601	08/26/07	08/28/07	8082	U
Aroclor 1221	ND	8250	"	"	"	"	"	"	U
Aroclor 1232	ND	8250	"	"	"	"	"	"	U
Aroclor 1242	ND	8250	"	"	"	"	"	"	U
Aroclor 1248	ND	8250	"	"	"	"	"	"	U
[illegible]clor 1254	**159000**	8250	"	"	"	"	"	"	
[illegible]clor 1260	ND	8250	"	"	"	"	"	"	U
Surrogate: Tetrachloro-meta-xylene		*%*	*70-125*		"	"	"	"	*S-06, U*
Surrogate: Decachlorobiphenyl		*%*	*60-125*		"	"	"	"	*S-06, U*
Bldg.-1-West-Floor (7H22023-11RE1) Soil Sampled: 08/21/07 08:30 Received: 08/22/07 09:30									
Aroclor 1016	ND	43000	ug/kg dry	1000	AH72601	08/26/07	08/28/07	8082	U
Aroclor 1221	ND	43000	"	"	"	"	"	"	U
Aroclor 1232	ND	43000	"	"	"	"	"	"	U
Aroclor 1242	ND	43000	"	"	"	"	"	"	U
Aroclor 1248	ND	43000	"	"	"	"	"	"	U
Aroclor 1254	**1300000**	43000	"	"	"	"	"	"	
Aroclor 1260	ND	43000	"	"	"	"	"	"	U
Surrogate: Tetrachloro-meta-xylene		*%*	*70-125*		"	"	"	"	*S-06, U*
Surrogate: Decachlorobiphenyl		*%*	*60-125*		"	"	"	"	*S-06, U*

Sevenson/G-Jobs	Project: Cornell-Dubilier Electronics	
2749 Lockport Road	Project Number: Cornell-Dubilier Electronics G-238	**Reported:**
Niagara Falls NY, 14305	Project Manager: Ken Paisley	10/05/07 15:45

TCLP Volatile Organic Compounds by EPA Method 1311/8260B

Waste Stream Technology Inc.

Analyte	Result	Reporting Limit	Units	Dilution	Batch	Prepared	Analyzed	Method	Notes
Bldg.-1A-Walls (7H22023-02) Soil Sampled: 08/20/07 08:30 Received: 08/22/07 09:30									
vinyl chloride	ND	10	ug/l	1	AH72807	08/28/07	08/28/07	8260-TCLP	U
1,1-dichloroethene	ND	10	"	"	"	"	"	"	U
2-butanone	ND	100	"	"	"	"	"	"	U
chloroform	ND	10	"	"	"	"	"	"	U
carbon tetrachloride	ND	10	"	"	"	"	"	"	U
benzene	ND	10	"	"	"	"	"	"	U
1,2-dichloroethane	ND	10	"	"	"	"	"	"	U
trichloroethene	ND	10	"	"	"	"	"	"	U
tetrachloroethene	ND	10	"	"	"	"	"	"	U
chlorobenzene	ND	10	"	"	"	"	"	"	U
1,4-dichlorobenzene	ND	10	"	"	"	"	"	"	U
Surrogate: Dibromofluoromethane		*96.7 %*		*75-125*	"	"	"	"	
Surrogate: 1,2-Dichloroethane-d4		*104 %*		*66-128*	"	"	"	"	
Surrogate: Toluene-d8		*101 %*		*81-118*	"	"	"	"	
Surrogate: Bromofluorobenzene		*95.7 %*		*85-123*	"	"	"	"	
Bldg.-1A-Floor (7H22023-03) Soil Sampled: 08/20/07 09:10 Received: 08/22/07 09:30									
vinyl chloride	ND	10	ug/l	1	AH72807	08/28/07	08/28/07	8260-TCLP	U
1,1-dichloroethene	ND	10	"	"	"	"	"	"	U
2-butanone	ND	100	"	"	"	"	"	"	U
chloroform	ND	10	"	"	"	"	"	"	U
carbon tetrachloride	ND	10	"	"	"	"	"	"	U
benzene	ND	10	"	"	"	"	"	"	U
1,2-dichloroethane	ND	10	"	"	"	"	"	"	U
trichloroethene	ND	10	"	"	"	"	"	"	U
tetrachloroethene	ND	10	"	"	"	"	"	"	U
chlorobenzene	ND	10	"	"	"	"	"	"	U
1,4-dichlorobenzene	ND	10	"	"	"	"	"	"	U
Surrogate: Dibromofluoromethane		*97.7 %*		*75-125*	"	"	"	"	
Surrogate: 1,2-Dichloroethane-d4		*104 %*		*66-128*	"	"	"	"	
Surrogate: Toluene-d8		*99.7 %*		*81-118*	"	"	"	"	
Surrogate: Bromofluorobenzene		*102 %*		*85-123*	"	"	"	"	

Stevenson/G-Jobs	Project: Cornell-Dubilier Electronics	
2749 Lockport Road	Project Number: Cornell-Dubilier Electronics G-238	**Reported:**
Niagara Falls NY, 14305	Project Manager: Ken Paisley	10/05/07 15:45

TCLP Volatile Organic Compounds by EPA Method 1311/8260B

Waste Stream Technology Inc.

Analyte	Result	Reporting Limit	Units	Dilution	Batch	Prepared	Analyzed	Method	Notes
Bldg.-1B-Walls (7H22023-04) Soil Sampled: 08/20/07 09:30 Received: 08/22/07 09:30									
vinyl chloride	ND	10	ug/l	1	AH72807	08/28/07	08/28/07	8260-TCLP	U
1,1-dichloroethene	ND	10	"	"	"	"	"	"	U
2-butanone	ND	100	"	"	"	"	"	"	U
chloroform	ND	10	"	"	"	"	"	"	U
carbon tetrachloride	ND	10	"	"	"	"	"	"	U
benzene	ND	10	"	"	"	"	"	"	U
1,2-dichloroethane	ND	10	"	"	"	"	"	"	U
trichloroethene	ND	10	"	"	"	"	"	"	U
tetrachloroethene	ND	10	"	"	"	"	"	"	U
chlorobenzene	ND	10	"	"	"	"	"	"	U
1,4-dichlorobenzene	ND	10	"	"	"	"	"	"	U
Surrogate: Dibromofluoromethane		*101 %*		*75-125*	"	"	"	"	
Surrogate: 1,2-Dichloroethane-d4		*105 %*		*66-128*	"	"	"	"	
Surrogate: Toluene-d8		*98.3 %*		*81-118*	"	"	"	"	
Surrogate: Bromofluorobenzene		*102 %*		*85-123*	"	"	"	"	
Bldg.-1B-Floor (7H22023-05) Soil Sampled: 08/20/07 10:00 Received: 08/22/07 09:30									
[illegible] chloride	ND	10	ug/l	1	AH72807	08/28/07	08/28/07	8260-TCLP	U
[illegible]-dichloroethene	ND	10	"	"	"	"	"	"	U
2-butanone	ND	100	"	"	"	"	"	"	U
chloroform	ND	10	"	"	"	"	"	"	U
carbon tetrachloride	ND	10	"	"	"	"	"	"	U
benzene	ND	10	"	"	"	"	"	"	U
1,2-dichloroethane	ND	10	"	"	"	"	"	"	U
trichloroethene	ND	10	"	"	"	"	"	"	U
tetrachloroethene	ND	10	"	"	"	"	"	"	U
chlorobenzene	ND	10	"	"	"	"	"	"	U
1,4-dichlorobenzene	ND	10	"	"	"	"	"	"	U
Surrogate: Dibromofluoromethane		*99.7 %*		*75-125*	"	"	"	"	
Surrogate: 1,2-Dichloroethane-d4		*109 %*		*66-128*	"	"	"	"	
Surrogate: Toluene-d8		*101 %*		*81-118*	"	"	"	"	
Surrogate: Bromofluorobenzene		*97.7 %*		*85-123*	"	"	"	"	

Sevenson/G-Jobs	Project: Cornell-Dubilier Electronics	
2749 Lockport Road	Project Number: Cornell-Dubilier Electronics G-238	**Reported:**
Niagara Falls NY, 14305	Project Manager: Ken Paisley	10/05/07 15:45

TCLP Volatile Organic Compounds by EPA Method 1311/8260B

Waste Stream Technology Inc.

Analyte	Result	Reporting Limit	Units	Dilution	Batch	Prepared	Analyzed	Method	Notes
Bldg.-1C-Walls (7H22023-06) Soil Sampled: 08/20/07 10:30 Received: 08/22/07 09:30									
vinyl chloride	ND	10	ug/l	1	AH72807	08/28/07	08/28/07	8260-TCLP	U
1,1-dichloroethene	ND	10	"	"	"	"	"	"	U
2-butanone	ND	100	"	"	"	"	"	"	U
chloroform	ND	10	"	"	"	"	"	"	U
carbon tetrachloride	ND	10	"	"	"	"	"	"	U
benzene	ND	10	"	"	"	"	"	"	U
1,2-dichloroethane	ND	10	"	"	"	"	"	"	U
trichloroethene	ND	10	"	"	"	"	"	"	U
tetrachloroethene	ND	10	"	"	"	"	"	"	U
chlorobenzene	ND	10	"	"	"	"	"	"	U
1,4-dichlorobenzene	ND	10	"	"	"	"	"	"	U
Surrogate: Dibromofluoromethane		*98.7 %*		*75-125*	"	"	"	"	
Surrogate: 1,2-Dichloroethane-d4		*107 %*		*66-128*	"	"	"	"	
Surrogate: Toluene-d8		*102 %*		*81-118*	"	"	"	"	
Surrogate: Bromofluorobenzene		*103 %*		*85-123*	"	"	"	"	
Bldg.-1C-Floor (7H22023-07) Soil Sampled: 08/20/07 11:00 Received: 08/22/07 09:30									
vinyl chloride	ND	10	ug/l	1	AH72807	08/28/07	08/28/07	8260-TCLP	U
1,1-dichloroethene	ND	10	"	"	"	"	"	"	U
2-butanone	ND	100	"	"	"	"	"	"	U
chloroform	ND	10	"	"	"	"	"	"	U
carbon tetrachloride	ND	10	"	"	"	"	"	"	U
benzene	ND	10	"	"	"	"	"	"	U
1,2-dichloroethane	ND	10	"	"	"	"	"	"	U
trichloroethene	ND	10	"	"	"	"	"	"	U
tetrachloroethene	ND	10	"	"	"	"	"	"	U
chlorobenzene	ND	10	"	"	"	"	"	"	U
1,4-dichlorobenzene	ND	10	"	"	"	"	"	"	U
Surrogate: Dibromofluoromethane		*97.3 %*		*75-125*	"	"	"	"	
Surrogate: 1,2-Dichloroethane-d4		*109 %*		*66-128*	"	"	"	"	
Surrogate: Toluene-d8		*99.0 %*		*81-118*	"	"	"	"	
Surrogate: Bromofluorobenzene		*100 %*		*85-123*	"	"	"	"	

Sevenson/G-Jobs	Project: Cornell-Dubilier Electronics	
2749 Lockport Road	Project Number: Cornell-Dubilier Electronics G-238	**Reported:**
Niagara Falls NY, 14305	Project Manager: Ken Paisley	10/05/07 15:45

TCLP Volatile Organic Compounds by EPA Method 1311/8260B

Waste Stream Technology Inc.

Analyte	Result	Reporting Limit	Units	Dilution	Batch	Prepared	Analyzed	Method	Notes
Bldg.-1D-Walls (7H22023-08) Soil Sampled: 08/21/07 06:45 Received: 08/22/07 09:30									
vinyl chloride	ND	10	ug/l	1	AH72807	08/28/07	08/28/07	8260-TCLP	U
1,1-dichloroethene	ND	10	"	"	"	"	"	"	U
2-butanone	ND	100	"	"	"	"	"	"	U
chloroform	ND	10	"	"	"	"	"	"	U
carbon tetrachloride	ND	10	"	"	"	"	"	"	U
benzene	ND	10	"	"	"	"	"	"	U
1,2-dichloroethane	ND	10	"	"	"	"	"	"	U
trichloroethene	ND	10	"	"	"	"	"	"	U
tetrachloroethene	ND	10	"	"	"	"	"	"	U
chlorobenzene	ND	10	"	"	"	"	"	"	U
1,4-dichlorobenzene	ND	10	"	"	"	"	"	"	U
Surrogate: Dibromofluoromethane		*91.0 %*	*75-125*		"	"	"	"	
Surrogate: 1,2-Dichloroethane-d4		*105 %*	*66-128*		"	"	"	"	
Surrogate: Toluene-d8		*100 %*	*81-118*		"	"	"	"	
Surrogate: Bromofluorobenzene		*106 %*	*85-123*		"	"	"	"	
Bldg.-1D-Floor (7H22023-09) Soil Sampled: 08/21/07 07:30 Received: 08/22/07 09:30									
vinyl chloride	ND	10	ug/l	1	AH72908	08/29/07	08/29/07	8260-TCLP	U
1,1-dichloroethene	ND	10	"	"	"	"	"	"	U
2-butanone	ND	100	"	"	"	"	"	"	U
chloroform	ND	10	"	"	"	"	"	"	U
carbon tetrachloride	ND	10	"	"	"	"	"	"	U
benzene	ND	10	"	"	"	"	"	"	U
1,2-dichloroethane	ND	10	"	"	"	"	"	"	U
trichloroethene	ND	10	"	"	"	"	"	"	U
tetrachloroethene	ND	10	"	"	"	"	"	"	U
chlorobenzene	ND	10	"	"	"	"	"	"	U
1,4-dichlorobenzene	ND	10	"	"	"	"	"	"	U
Surrogate: Dibromofluoromethane		*94.7 %*	*75-125*		"	"	"	"	
Surrogate: 1,2-Dichloroethane-d4		*101 %*	*66-128*		"	"	"	"	
Surrogate: Toluene-d8		*102 %*	*81-118*		"	"	"	"	
Surrogate: Bromofluorobenzene		*98.0 %*	*85-123*		"	"	"	"	

Sevenson/G-Jobs	Project: Cornell-Dubilier Electronics	
2749 Lockport Road	Project Number: Cornell-Dubilier Electronics G-238	**Reported:**
Niagara Falls NY, 14305	Project Manager: Ken Paisley	10/05/07 15:45

TCLP Volatile Organic Compounds by EPA Method 1311/8260B

Waste Stream Technology Inc.

Analyte	Result	Reporting Limit	Units	Dilution	Batch	Prepared	Analyzed	Method	Notes
Bldg.-1West-Walls (7H22023-10) Soil Sampled: 08/21/07 08:00 Received: 08/22/07 09:30									
vinyl chloride	ND	10	ug/l	1	AH72908	08/29/07	08/29/07	8260-TCLP	U
1,1-dichloroethene	ND	10	"	"	"	"	"	"	U
2-butanone	ND	100	"	"	"	"	"	"	U
chloroform	ND	10	"	"	"	"	"	"	U
carbon tetrachloride	ND	10	"	"	"	"	"	"	U
benzene	ND	10	"	"	"	"	"	"	U
1,2-dichloroethane	ND	10	"	"	"	"	"	"	U
trichloroethene	ND	10	"	"	"	"	"	"	U
tetrachloroethene	ND	10	"	"	"	"	"	"	U
chlorobenzene	ND	10	"	"	"	"	"	"	U
1,4-dichlorobenzene	ND	10	"	"	"	"	"	"	U
Surrogate: Dibromofluoromethane		*99.3 %*		*75-125*	"	"	"	"	
Surrogate: 1,2-Dichloroethane-d4		*104 %*		*66-128*	"	"	"	"	
Surrogate: Toluene-d8		*97.3 %*		*81-118*	"	"	"	"	
Surrogate: Bromofluorobenzene		*99.0 %*		*85-123*	"	"	"	"	
Bldg.-1-West-Floor (7H22023-11) Soil Sampled: 08/21/07 08:30 Received: 08/22/07 09:30									
vinyl chloride	ND	10	ug/l	1	AH73018	08/30/07	08/30/07	8260-TCLP	U
1,1-dichloroethene	ND	10	"	"	"	"	"	"	U
2-butanone	ND	100	"	"	"	"	"	"	U
chloroform	ND	10	"	"	"	"	"	"	U
carbon tetrachloride	ND	10	"	"	"	"	"	"	U
benzene	ND	10	"	"	"	"	"	"	U
1,2-dichloroethane	ND	10	"	"	"	"	"	"	U
trichloroethene	ND	10	"	"	"	"	"	"	U
tetrachloroethene	ND	10	"	"	"	"	"	"	U
chlorobenzene	ND	10	"	"	"	"	"	"	U
1,4-dichlorobenzene	ND	10	"	"	"	"	"	"	U
Surrogate: Dibromofluoromethane		*98.7 %*		*75-125*	"	"	"	"	
Surrogate: 1,2-Dichloroethane-d4		*106 %*		*66-128*	"	"	"	"	
Surrogate: Toluene-d8		*98.7 %*		*81-118*	"	"	"	"	
Surrogate: Bromofluorobenzene		*106 %*		*85-123*	"	"	"	"	

Sevenson/G-Jobs	Project: Cornell-Dubilier Electronics	
2749 Lockport Road	Project Number: Cornell-Dubilier Electronics G-238	**Reported:**
Niagara Falls NY, 14305	Project Manager: Ken Paisley	10/05/07 15:45

TCLP Volatile Organic Compounds by EPA Method 1311/8260B

Waste Stream Technology Inc.

Analyte	Result	Reporting Limit	Units	Dilution	Batch	Prepared	Analyzed	Method	Notes
Bldg.-1-East-Wall (7H22023-12) Soil Sampled: 08/21/07 08:55 Received: 08/22/07 09:30									
vinyl chloride	ND	10	ug/l	1	AH73018	08/30/07	08/30/07	8260-TCLP	U
1,1-dichloroethene	ND	10	"	"	"	"	"	"	U
2-butanone	ND	100	"	"	"	"	"	"	U
chloroform	ND	10	"	"	"	"	"	"	U
carbon tetrachloride	ND	10	"	"	"	"	"	"	U
benzene	ND	10	"	"	"	"	"	"	U
1,2-dichloroethane	ND	10	"	"	"	"	"	"	U
trichloroethene	ND	10	"	"	"	"	"	"	U
tetrachloroethene	ND	10	"	"	"	"	"	"	U
chlorobenzene	ND	10	"	"	"	"	"	"	U
1,4-dichlorobenzene	ND	10	"	"	"	"	"	"	U
Surrogate: Dibromofluoromethane		*97.3 %*	*75-125*		"	"	"	"	
Surrogate: 1,2-Dichloroethane-d4		*101 %*	*66-128*		"	"	"	"	
Surrogate: Toluene-d8		*101 %*	*81-118*		"	"	"	"	
Surrogate: Bromofluorobenzene		*99.7 %*	*85-123*		"	"	"	"	
Bldg.-1-East-Floor (7H22023-13) Soil Sampled: 08/21/07 09:20 Received: 08/22/07 09:30									
vinyl chloride	ND	10	ug/l	1	AH73018	08/30/07	08/30/07	8260-TCLP	U
1,1-dichloroethene	ND	10	"	"	"	"	"	"	U
2-butanone	ND	100	"	"	"	"	"	"	U
chloroform	ND	10	"	"	"	"	"	"	U
carbon tetrachloride	ND	10	"	"	"	"	"	"	U
benzene	ND	10	"	"	"	"	"	"	U
1,2-dichloroethane	ND	10	"	"	"	"	"	"	U
trichloroethene	ND	10	"	"	"	"	"	"	U
tetrachloroethene	ND	10	"	"	"	"	"	"	U
chlorobenzene	ND	10	"	"	"	"	"	"	U
1,4-dichlorobenzene	ND	10	"	"	"	"	"	"	U
Surrogate: Dibromofluoromethane		*99.3 %*	*75-125*		"	"	"	"	
Surrogate: 1,2-Dichloroethane-d4		*106 %*	*66-128*		"	"	"	"	
Surrogate: Toluene-d8		*98.7 %*	*81-118*		"	"	"	"	
Surrogate: Bromofluorobenzene		*101 %*	*85-123*		"	"	"	"	

Sevenson/G-Jobs	Project: Cornell-Dubilier Electronics	
2749 Lockport Road	Project Number: Cornell-Dubilier Electronics G-238	**Reported:**
Niagara Falls NY, 14305	Project Manager: Ken Paisley	10/05/07 15:45

TCLP Pesticides by EPA Method 1311/8081A

Waste Stream Technology Inc.

Analyte	Result	Reporting Limit	Units	Dilution	Batch	Prepared	Analyzed	Method	Notes
Bldg.-1A-Walls (7H22023-02) Soil Sampled: 08/20/07 08:30 Received: 08/22/07 09:30									
Gamma-BHC (Lindane)	ND	0.040	ug/l	1	AH73010	08/30/07	08/30/07	EPA 8081A	U
Heptachlor	ND	0.040	"	"	"	"	"	"	U
Heptachlor Epoxide	ND	0.040	"	"	"	"	"	"	U
Endrin	ND	0.040	"	"	"	"	"	"	U
Methoxychlor	ND	0.040	"	"	"	"	"	"	U
Chlordane	ND	0.800	"	"	"	"	"	"	U
Toxaphene	ND	0.040	"	"	"	"	"	"	U
Surrogate: Tetrachloro-meta-xylene		*77.5 %*		*61-121*	"	"	"	"	
Surrogate: Decachlorobiphenyl		*71.0 %*		*53-122*	"	"	"	"	
Bldg.-1A-Floor (7H22023-03) Soil Sampled: 08/20/07 09:10 Received: 08/22/07 09:30									
Gamma-BHC (Lindane)	ND	0.040	ug/l	1	AH73010	08/30/07	08/30/07	EPA 8081A	U
Heptachlor	ND	0.040	"	"	"	"	"	"	U
Heptachlor Epoxide	ND	0.040	"	"	"	"	"	"	U
Endrin	ND	0.040	"	"	"	"	"	"	U
Methoxychlor	ND	0.040	"	"	"	"	"	"	U
Chlordane	ND	0.800	"	"	"	"	"	"	U
Toxaphene	ND	0.040	"	"	"	"	"	"	U
Surrogate: Tetrachloro-meta-xylene		*97.5 %*		*61-121*	"	"	"	"	
Surrogate: Decachlorobiphenyl		*88.0 %*		*53-122*	"	"	"	"	
Bldg.-1B-Walls (7H22023-04) Soil Sampled: 08/20/07 09:30 Received: 08/22/07 09:30									
Gamma-BHC (Lindane)	ND	0.040	ug/l	1	AH73010	08/30/07	08/30/07	EPA 8081A	U
Heptachlor	ND	0.040	"	"	"	"	"	"	U
Heptachlor Epoxide	ND	0.040	"	"	"	"	"	"	U
Endrin	ND	0.040	"	"	"	"	"	"	U
Methoxychlor	ND	0.040	"	"	"	"	"	"	U
Chlordane	ND	0.800	"	"	"	"	"	"	U
Toxaphene	ND	0.040	"	"	"	"	"	"	U
Surrogate: Tetrachloro-meta-xylene		*76.0 %*		*61-121*	"	"	"	"	
Surrogate: Decachlorobiphenyl		*75.0 %*		*53-122*	"	"	"	"	

Sevenson/G-Jobs	Project: Cornell-Dubilier Electronics	
2749 Lockport Road	Project Number: Cornell-Dubilier Electronics G-238	**Reported:**
Niagara Falls NY, 14305	Project Manager: Ken Paisley	10/05/07 15:45

TCLP Pesticides by EPA Method 1311/8081A

Waste Stream Technology Inc.

Analyte	Result	Reporting Limit	Units	Dilution	Batch	Prepared	Analyzed	Method	Notes
Bldg.-1B-Floor (7H22023-05) Soil Sampled: 08/20/07 10:00 Received: 08/22/07 09:30									
Gamma-BHC (Lindane)	ND	0.040	ug/l	1	AH73010	08/30/07	08/30/07	EPA 8081A	U
Heptachlor	ND	0.040	"	"	"	"	"	"	U
Heptachlor Epoxide	ND	0.040	"	"	"	"	"	"	U
Endrin	ND	0.040	"	"	"	"	"	"	U
Methoxychlor	ND	0.040	"	"	"	"	"	"	U
Chlordane	ND	0.800	"	"	"	"	"	"	U
Toxaphene	ND	0.040	"	"	"	"	"	"	U
Surrogate: Tetrachloro-meta-xylene		*72.5 %*	*61-121*		"	"	"	"	
Surrogate: Decachlorobiphenyl		*79.5 %*	*53-122*		"	"	"	"	
Bldg.-1C-Walls (7H22023-06) Soil Sampled: 08/20/07 10:30 Received: 08/22/07 09:30									
Gamma-BHC (Lindane)	ND	0.040	ug/l	1	AH73010	08/30/07	08/30/07	EPA 8081A	U
Heptachlor	ND	0.040	"	"	"	"	"	"	U
Heptachlor Epoxide	ND	0.040	"	"	"	"	"	"	U
Endrin	ND	0.040	"	"	"	"	"	"	U
Methoxychlor	ND	0.040	"	"	"	"	"	"	U
[illegible]ordane	ND	0.800	"	"	"	"	"	"	U
[illegible]aphene	ND	0.040	"	"	"	"	"	"	U
Surrogate: Tetrachloro-meta-xylene		*77.0 %*	*61-121*		"	"	"	"	
Surrogate: Decachlorobiphenyl		*80.0 %*	*53-122*		"	"	"	"	
Bldg.-1C-Floor (7H22023-07) Soil Sampled: 08/20/07 11:00 Received: 08/22/07 09:30									
Gamma-BHC (Lindane)	ND	0.040	ug/l	1	AH73010	08/30/07	08/30/07	EPA 8081A	U
Heptachlor	ND	0.040	"	"	"	"	"	"	U
Heptachlor Epoxide	ND	0.040	"	"	"	"	"	"	U
Endrin	ND	0.040	"	"	"	"	"	"	U
Methoxychlor	ND	0.040	"	"	"	"	"	"	U
Chlordane	ND	0.800	"	"	"	"	"	"	U
Toxaphene	ND	0.040	"	"	"	"	"	"	U
Surrogate: Tetrachloro-meta-xylene		*76.5 %*	*61-121*		"	"	"	"	
Surrogate: Decachlorobiphenyl		*74.5 %*	*53-122*		"	"	"	"	

Sevenson/G-Jobs	Project: Cornell-Dubilier Electronics	
2749 Lockport Road	Project Number: Cornell-Dubilier Electronics G-238	**Reported:**
Niagara Falls NY, 14305	Project Manager: Ken Paisley	10/05/07 15:45

TCLP Pesticides by EPA Method 1311/8081A

Waste Stream Technology Inc.

Analyte	Result	Reporting Limit	Units	Dilution	Batch	Prepared	Analyzed	Method	Notes
Bldg.-1D-Walls (7H22023-08) Soil Sampled: 08/21/07 06:45 Received: 08/22/07 09:30									
Gamma-BHC (Lindane)	ND	0.040	ug/l	1	AH73010	08/30/07	08/31/07	EPA 8081A	U
Heptachlor	ND	0.040	"	"	"	"	"	"	U
Heptachlor Epoxide	ND	0.040	"	"	"	"	"	"	U
Endrin	ND	0.040	"	"	"	"	"	"	U
Methoxychlor	ND	0.040	"	"	"	"	"	"	U
Chlordane	ND	0.800	"	"	"	"	"	"	U
Toxaphene	ND	0.040	"	"	"	"	"	"	U
Surrogate: Tetrachloro-meta-xylene		*82.5 %*		*61-121*		"	"	"	
Surrogate: Decachlorobiphenyl		*72.0 %*		*53-122*		"	"	"	
Bldg.-1D-Floor (7H22023-09) Soil Sampled: 08/21/07 07:30 Received: 08/22/07 09:30									
Gamma-BHC (Lindane)	ND	0.040	ug/l	1	AH73010	08/30/07	08/31/07	EPA 8081A	U
Heptachlor	ND	0.040	"	"	"	"	"	"	U
Heptachlor Epoxide	ND	0.040	"	"	"	"	"	"	U
Endrin	ND	0.040	"	"	"	"	"	"	U
Methoxychlor	ND	0.040	"	"	"	"	"	"	U
Chlordane	ND	0.800	"	"	"	"	"	"	U
Toxaphene	ND	0.040	"	"	"	"	"	"	U
Surrogate: Tetrachloro-meta-xylene		*72.0 %*		*61-121*		"	"	"	
Surrogate: Decachlorobiphenyl		*79.0 %*		*53-122*		"	"	"	
Bldg.-1West-Walls (7H22023-10) Soil Sampled: 08/21/07 08:00 Received: 08/22/07 09:30									
Gamma-BHC (Lindane)	ND	0.040	ug/l	1	AH73010	08/30/07	08/31/07	EPA 8081A	U
Heptachlor	ND	0.040	"	"	"	"	"	"	U
Heptachlor Epoxide	ND	0.040	"	"	"	"	"	"	U
Endrin	ND	0.040	"	"	"	"	"	"	U
Methoxychlor	ND	0.040	"	"	"	"	"	"	U
Chlordane	ND	0.800	"	"	"	"	"	"	U
Toxaphene	ND	0.040	"	"	"	"	"	"	U
Surrogate: Tetrachloro-meta-xylene		*80.0 %*		*61-121*		"	"	"	
Surrogate: Decachlorobiphenyl		*69.5 %*		*53-122*		"	"	"	

Sevenson/G-Jobs	Project: Cornell-Dubilier Electronics	
2749 Lockport Road	Project Number: Cornell-Dubilier Electronics G-238	**Reported:**
Niagara Falls NY, 14305	Project Manager: Ken Paisley	10/05/07 15:45

TCLP Pesticides by EPA Method 1311/8081A

Waste Stream Technology Inc.

Analyte	Result	Reporting Limit	Units	Dilution	Batch	Prepared	Analyzed	Method	Notes
Bldg.-1-West-Floor (7H22023-11) Soil Sampled: 08/21/07 08:30 Received: 08/22/07 09:30									
Gamma-BHC (Lindane)	ND	0.040	ug/l	1	AH73010	08/30/07	08/31/07	EPA 8081A	U
Heptachlor	ND	0.040	"	"	"	"	"	"	U
Heptachlor Epoxide	ND	0.040	"	"	"	"	"	"	U
Endrin	ND	0.040	"	"	"	"	"	"	U
Methoxychlor	ND	0.040	"	"	"	"	"	"	U
Chlordane	ND	0.800	"	"	"	"	"	"	U
Toxaphene	ND	0.040	"	"	"	"	"	"	U
Surrogate: Tetrachloro-meta-xylene		*52.0 %*	*61-121*		"	"	"	"	*L*
Surrogate: Decachlorobiphenyl		*68.0 %*	*53-122*		"	"	"	"	
Bldg.-1-East-Wall (7H22023-12) Soil Sampled: 08/21/07 08:55 Received: 08/22/07 09:30									
Gamma-BHC (Lindane)	ND	0.040	ug/l	1	AH73010	08/30/07	08/31/07	EPA 8081A	U
Heptachlor	ND	0.040	"	"	"	"	"	"	U
Heptachlor Epoxide	ND	0.040	"	"	"	"	"	"	U
Endrin	ND	0.040	"	"	"	"	"	"	U
Methoxychlor	ND	0.040	"	"	"	"	"	"	U
[illegible]ordane	ND	0.800	"	"	"	"	"	"	U
[illegible]aphene	ND	0.040	"	"	"	"	"	"	U
Surrogate: Tetrachloro-meta-xylene		*69.5 %*	*61-121*		"	"	"	"	
Surrogate: Decachlorobiphenyl		*81.0 %*	*53-122*		"	"	"	"	
Bldg.-1-East-Floor (7H22023-13) Soil Sampled: 08/21/07 09:20 Received: 08/22/07 09:30									
Gamma-BHC (Lindane)	ND	0.040	ug/l	1	AH73010	08/30/07	08/31/07	EPA 8081A	U
Heptachlor	ND	0.040	"	"	"	"	"	"	U
Heptachlor Epoxide	ND	0.040	"	"	"	"	"	"	U
Endrin	ND	0.040	"	"	"	"	"	"	U
Methoxychlor	ND	0.040	"	"	"	"	"	"	U
Chlordane	ND	0.800	"	"	"	"	"	"	U
Toxaphene	ND	0.040	"	"	"	"	"	"	U
Surrogate: Tetrachloro-meta-xylene		*55.5 %*	*61-121*		"	"	"	"	*L*
Surrogate: Decachlorobiphenyl		*69.5 %*	*53-122*		"	"	"	"	

Sevenson/G-Jobs	Project: Cornell-Dubilier Electronics	
2749 Lockport Road	Project Number: Cornell-Dubilier Electronics G-238	**Reported:**
Niagara Falls NY, 14305	Project Manager: Ken Paisley	10/05/07 15:45

TCLP Herbicides by EPA Method 1311/8151A

Waste Stream Technology Inc.

Analyte	Result	Reporting Limit	Units	Dilution	Batch	Prepared	Analyzed	Method	Notes
Bldg.-1A-Walls (7H22023-02) Soil Sampled: 08/20/07 08:30 Received: 08/22/07 09:30									
2,4-D	ND	20.0	ug/l	50	AH72502	08/25/07	08/27/07	8151	U
2,4,5-TP (Silvex)	ND	20.0	"	"	"	"	"	"	U
Surrogate: 2,4-DCPAA		*49.8 %*	*24-146*		"	"	"	"	
Bldg.-1A-Floor (7H22023-03) Soil Sampled: 08/20/07 09:10 Received: 08/22/07 09:30									
2,4-D	ND	20.0	ug/l	50	AH72502	08/25/07	08/27/07	8151	U
2,4,5-TP (Silvex)	ND	20.0	"	"	"	"	"	"	U
Surrogate: 2,4-DCPAA		*60.0 %*	*24-146*		"	"	"	"	
Bldg.-1B-Walls (7H22023-04) Soil Sampled: 08/20/07 09:30 Received: 08/22/07 09:30									
2,4-D	ND	20.0	ug/l	50	AH72502	08/25/07	08/27/07	8151	U
2,4,5-TP (Silvex)	ND	20.0	"	"	"	"	"	"	U
Surrogate: 2,4-DCPAA		*56.5 %*	*24-146*		"	"	"	"	
Bldg.-1B-Floor (7H22023-05) Soil Sampled: 08/20/07 10:00 Received: 08/22/07 09:30									
2,4-D	ND	20.0	ug/l	50	AH72502	08/25/07	08/27/07	8151	U
2,4,5-TP (Silvex)	ND	20.0	"	"	"	"	"	"	U
Surrogate: 2,4-DCPAA		*45.5 %*	*24-146*		"	"	"	"	
Bldg.-1C-Walls (7H22023-06) Soil Sampled: 08/20/07 10:30 Received: 08/22/07 09:30									
2,4-D	ND	20.0	ug/l	50	AH72502	08/25/07	08/27/07	8151	U
2,4,5-TP (Silvex)	ND	20.0	"	"	"	"	"	"	U
Surrogate: 2,4-DCPAA		*49.0 %*	*24-146*		"	"	"	"	
Bldg.-1C-Floor (7H22023-07) Soil Sampled: 08/20/07 11:00 Received: 08/22/07 09:30									
2,4-D	ND	20.0	ug/l	50	AH72502	08/25/07	08/28/07	8151	U
2,4,5-TP (Silvex)	ND	20.0	"	"	"	"	"	"	U
Surrogate: 2,4-DCPAA		*92.2 %*	*24-146*		"	"	"	"	

Sevenson/G-Jobs 2749 Lockport Road Niagara Falls NY, 14305	Project: Cornell-Dubilier Electronics Project Number: Cornell-Dubilier Electronics G-238 Project Manager: Ken Paisley	**Reported:** 10/05/07 15:45

TCLP Herbicides by EPA Method 1311/8151A

Waste Stream Technology Inc.

Analyte	Result	Reporting Limit	Units	Dilution	Batch	Prepared	Analyzed	Method	Notes
Bldg.-1D-Walls (7H22023-08) Soil Sampled: 08/21/07 06:45 Received: 08/22/07 09:30									
2,4-D	ND	20.0	ug/l	50	AH72502	08/25/07	08/28/07	8151	U
2,4,5-TP (Silvex)	ND	20.0	"	"	"	"	"	"	U
Surrogate: 2,4-DCPAA		*87.0 %*	*24-146*		"	"	"	"	
Bldg.-1D-Floor (7H22023-09) Soil Sampled: 08/21/07 07:30 Received: 08/22/07 09:30									
2,4-D	ND	20.0	ug/l	50	AH72502	08/25/07	08/28/07	8151	U
2,4,5-TP (Silvex)	ND	20.0	"	"	"	"	"	"	U
Surrogate: 2,4-DCPAA		*81.5 %*	*24-146*		"	"	"	"	
Bldg.-1West-Walls (7H22023-10) Soil Sampled: 08/21/07 08:00 Received: 08/22/07 09:30									
2,4-D	ND	20.0	ug/l	50	AH72502	08/25/07	08/28/07	8151	U
2,4,5-TP (Silvex)	ND	20.0	"	"	"	"	"	"	U
Surrogate: 2,4-DCPAA		*85.5 %*	*24-146*		"	"	"	"	
Bldg.-1-West-Floor (7H22023-11) Soil Sampled: 08/21/07 08:30 Received: 08/22/07 09:30									
2,4-D	ND	20.0	ug/l	50	AH72502	08/25/07	08/28/07	8151	U
4,5-TP (Silvex)	ND	20.0	"	"	"	"	"	"	U
ogate: 2,4-DCPAA		*79.5 %*	*24-146*		"	"	"	"	
Bldg.-1-East-Wall (7H22023-12) Soil Sampled: 08/21/07 08:55 Received: 08/22/07 09:30									
2,4-D	ND	20.0	ug/l	50	AH72502	08/25/07	08/28/07	8151	U
2,4,5-TP (Silvex)	ND	20.0	"	"	"	"	"	"	U
Surrogate: 2,4-DCPAA		*90.8 %*	*24-146*		"	"	"	"	
Bldg.-1-East-Floor (7H22023-13) Soil Sampled: 08/21/07 09:20 Received: 08/22/07 09:30									
2,4-D	ND	20.0	ug/l	50	AH72502	08/25/07	08/28/07	8151	U
2,4,5-TP (Silvex)	ND	20.0	"	"	"	"	"	"	U
Surrogate: 2,4-DCPAA		*82.5 %*	*24-146*		"	"	"	"	

Sevenson/G-Jobs	Project: Cornell-Dubilier Electronics	
2749 Lockport Road	Project Number: Cornell-Dubilier Electronics G-238	**Reported:**
Niagara Falls NY, 14305	Project Manager: Ken Paisley	10/05/07 15:45

TCLP Semivolatile Organic Compounds by EPA Method 1311/8270C

Waste Stream Technology Inc.

Analyte	Result	Reporting Limit	Units	Dilution	Batch	Prepared	Analyzed	Method	Notes
Bldg.-1A-Walls (7H22023-02) Soil Sampled: 08/20/07 08:30 Received: 08/22/07 09:30									
pyridine	ND	8	ug/l	1	AH73007	08/30/07	09/04/07	8270C-TCLP	U
1,4-dichlorobenzene	ND	8	"	"	"	"	"	"	U
Total cresols (o,m & p)	ND	24	"	"	"	"	"	"	J-02, U
hexachloroethane	ND	8	"	"	"	"	"	"	U
nitrobenzene	ND	8	"	"	"	"	"	"	U
hexachlorobutadiene	ND	8	"	"	"	"	"	"	U
2,4,6-trichlorophenol	ND	16	"	"	"	"	"	"	U
2,4,5-trichlorophenol	ND	8	"	"	"	"	"	"	U
2,4-dinitrotoluene	ND	8	"	"	"	"	"	"	U
hexachlorobenzene	ND	8	"	"	"	"	"	"	U
pentachlorophenol	ND	16	"	"	"	"	"	"	U
Surrogate: 2-Fluorophenol		*40.0 %*		*14-53*	"	"	"	"	
Surrogate: Phenol-d6		*28.2 %*		*10-35*	"	"	"	"	
Surrogate: Nitrobenzene-d5		*57.8 %*		*38-96*	"	"	"	"	
Surrogate: 2-Fluorobiphenyl		*50.8 %*		*41-95*	"	"	"	"	
Surrogate: 2,4,6-Tribromophenol		*58.8 %*		*44-124*	"	"	"	"	
Surrogate: Terphenyl-d14		*54.5 %*		*42-127*	"	"	"	"	
Bldg.-1A-Floor (7H22023-03) Soil Sampled: 08/20/07 09:10 Received: 08/22/07 09:30									
pyridine	ND	8	ug/l	1	AH73007	08/30/07	09/04/07	8270C-TCLP	U
1,4-dichlorobenzene	ND	8	"	"	"	"	"	"	U
Total cresols (o,m & p)	ND	24	"	"	"	"	"	"	J-02, U
hexachloroethane	ND	8	"	"	"	"	"	"	U
nitrobenzene	ND	8	"	"	"	"	"	"	U
hexachlorobutadiene	ND	8	"	"	"	"	"	"	U
2,4,6-trichlorophenol	ND	16	"	"	"	"	"	"	U
2,4,5-trichlorophenol	ND	8	"	"	"	"	"	"	U
2,4-dinitrotoluene	ND	8	"	"	"	"	"	"	U
hexachlorobenzene	ND	8	"	"	"	"	"	"	U
pentachlorophenol	ND	16	"	"	"	"	"	"	U
Surrogate: 2-Fluorophenol		*102 %*		*14-53*	"	"	"	"	*S-04*
Surrogate: Phenol-d6		*188 %*		*10-35*	"	"	"	"	*S-04*
Surrogate: Nitrobenzene-d5		*75.0 %*		*38-96*	"	"	"	"	
Surrogate: 2-Fluorobiphenyl		*69.2 %*		*41-95*	"	"	"	"	
Surrogate: 2,4,6-Tribromophenol		*69.0 %*		*44-124*	"	"	"	"	
Surrogate: Terphenyl-d14		*77.0 %*		*42-127*	"	"	"	"	

Stevenson/G-Jobs	Project: Cornell-Dubilier Electronics	
2749 Lockport Road	Project Number: Cornell-Dubilier Electronics G-238	**Reported:**
Niagara Falls NY, 14305	Project Manager: Ken Paisley	10/05/07 15:45

TCLP Semivolatile Organic Compounds by EPA Method 1311/8270C

Waste Stream Technology Inc.

Analyte	Result	Reporting Limit	Units	Dilution	Batch	Prepared	Analyzed	Method	Notes
Bldg.-1B-Walls (7H22023-04) Soil Sampled: 08/20/07 09:30 Received: 08/22/07 09:30									
pyridine	ND	8	ug/l	1	AH73007	08/30/07	09/04/07	8270C-TCLP	U
1,4-dichlorobenzene	ND	8	"	"	"	"	"	"	U
Total cresols (o,m & p)	ND	24	"	"	"	"	"	"	J-02, U
hexachloroethane	ND	8	"	"	"	"	"	"	U
nitrobenzene	ND	8	"	"	"	"	"	"	U
hexachlorobutadiene	ND	8	"	"	"	"	"	"	U
2,4,6-trichlorophenol	ND	16	"	"	"	"	"	"	U
2,4,5-trichlorophenol	ND	8	"	"	"	"	"	"	U
2,4-dinitrotoluene	ND	8	"	"	"	"	"	"	U
hexachlorobenzene	ND	8	"	"	"	"	"	"	U
pentachlorophenol	ND	16	"	"	"	"	"	"	U
Surrogate: 2-Fluorophenol		*47.4 %*	*14-53*		"	"	"	"	
Surrogate: Phenol-d6		*83.4 %*	*10-35*		"	"	"	"	*S-04*
Surrogate: Nitrobenzene-d5		*56.0 %*	*38-96*		"	"	"	"	
Surrogate: 2-Fluorobiphenyl		*56.5 %*	*41-95*		"	"	"	"	
Surrogate: 2,4,6-Tribromophenol		*67.1 %*	*44-124*		"	"	"	"	
Surrogate: Terphenyl-d14		*66.8 %*	*42-127*		"	"	"	"	
Bldg.-1B-Floor (7H22023-05) Soil Sampled: 08/20/07 10:00 Received: 08/22/07 09:30									
pyridine	ND	8	ug/l	1	AH73007	08/30/07	09/04/07	8270C-TCLP	U
1,4-dichlorobenzene	ND	8	"	"	"	"	"	"	U
Total cresols (o,m & p)	ND	24	"	"	"	"	"	"	J-02, U
hexachloroethane	ND	8	"	"	"	"	"	"	U
nitrobenzene	ND	8	"	"	"	"	"	"	U
hexachlorobutadiene	ND	8	"	"	"	"	"	"	U
2,4,6-trichlorophenol	ND	16	"	"	"	"	"	"	U
2,4,5-trichlorophenol	ND	8	"	"	"	"	"	"	U
2,4-dinitrotoluene	ND	8	"	"	"	"	"	"	U
hexachlorobenzene	ND	8	"	"	"	"	"	"	U
pentachlorophenol	ND	16	"	"	"	"	"	"	U
Surrogate: 2-Fluorophenol		*62.9 %*	*14-53*		"	"	"	"	*S-04*
Surrogate: Phenol-d6		*56.8 %*	*10-35*		"	"	"	"	*S-04*
Surrogate: Nitrobenzene-d5		*62.0 %*	*38-96*		"	"	"	"	
Surrogate: 2-Fluorobiphenyl		*57.5 %*	*41-95*		"	"	"	"	
Surrogate: 2,4,6-Tribromophenol		*68.2 %*	*44-124*		"	"	"	"	
Surrogate: Terphenyl-d14		*69.2 %*	*42-127*		"	"	"	"	

Sevenson/G-Jobs	Project: Cornell-Dubilier Electronics	
2749 Lockport Road	Project Number: Cornell-Dubilier Electronics G-238	**Reported:**
Niagara Falls NY, 14305	Project Manager: Ken Paisley	10/05/07 15:45

TCLP Semivolatile Organic Compounds by EPA Method 1311/8270C

Waste Stream Technology Inc.

Analyte	Result	Reporting Limit	Units	Dilution	Batch	Prepared	Analyzed	Method	Notes
Bldg.-1C-Walls (7H22023-06) Soil Sampled: 08/20/07 10:30 Received: 08/22/07 09:30									
pyridine	ND	8	ug/l	1	AH73007	08/30/07	09/04/07	8270C-TCLP	U
1,4-dichlorobenzene	ND	8	"	"	"	"	"	"	U
Total cresols (o,m & p)	ND	24	"	"	"	"	"	"	J-02, U
hexachloroethane	ND	8	"	"	"	"	"	"	U
nitrobenzene	ND	8	"	"	"	"	"	"	U
hexachlorobutadiene	ND	8	"	"	"	"	"	"	U
2,4,6-trichlorophenol	ND	16	"	"	"	"	"	"	U
2,4,5-trichlorophenol	ND	8	"	"	"	"	"	"	U
2,4-dinitrotoluene	ND	8	"	"	"	"	"	"	U
hexachlorobenzene	ND	8	"	"	"	"	"	"	U
pentachlorophenol	ND	16	"	"	"	"	"	"	U
Surrogate: 2-Fluorophenol		*36.6 %*		*14-53*	"	"	"	"	
Surrogate: Phenol-d6		*71.1 %*		*10-35*	"	"	"	"	*S-04*
Surrogate: Nitrobenzene-d5		*68.5 %*		*38-96*	"	"	"	"	
Surrogate: 2-Fluorobiphenyl		*64.0 %*		*41-95*	"	"	"	"	
Surrogate: 2,4,6-Tribromophenol		*69.6 %*		*44-124*	"	"	"	"	
Surrogate: Terphenyl-d14		*72.0 %*		*42-127*	"	"	"	"	
Bldg.-1C-Floor (7H22023-07) Soil Sampled: 08/20/07 11:00 Received: 08/22/07 09:30									
pyridine	ND	8	ug/l	1	AH73007	08/30/07	09/04/07	8270C-TCLP	U
1,4-dichlorobenzene	ND	8	"	"	"	"	"	"	U
Total cresols (o,m & p)	ND	24	"	"	"	"	"	"	J-02, U
hexachloroethane	ND	8	"	"	"	"	"	"	U
nitrobenzene	ND	8	"	"	"	"	"	"	U
hexachlorobutadiene	ND	8	"	"	"	"	"	"	U
2,4,6-trichlorophenol	ND	16	"	"	"	"	"	"	U
2,4,5-trichlorophenol	ND	8	"	"	"	"	"	"	U
2,4-dinitrotoluene	ND	8	"	"	"	"	"	"	U
hexachlorobenzene	ND	8	"	"	"	"	"	"	U
pentachlorophenol	ND	16	"	"	"	"	"	"	U
Surrogate: 2-Fluorophenol		*62.2 %*		*14-53*	"	"	"	"	*S-04*
Surrogate: Phenol-d6		*62.1 %*		*10-35*	"	"	"	"	*S-04*
Surrogate: Nitrobenzene-d5		*69.5 %*		*38-96*	"	"	"	"	
Surrogate: 2-Fluorobiphenyl		*56.6 %*		*41-95*	"	"	"	"	
Surrogate: 2,4,6-Tribromophenol		*68.1 %*		*44-124*	"	"	"	"	
Surrogate: Terphenyl-d14		*68.0 %*		*42-127*	"	"	"	"	

Sevenson/G-Jobs	Project: Cornell-Dubilier Electronics	
2749 Lockport Road	Project Number: Cornell-Dubilier Electronics G-238	**Reported:**
Niagara Falls NY, 14305	Project Manager: Ken Paisley	10/05/07 15:45

TCLP Semivolatile Organic Compounds by EPA Method 1311/8270C

Waste Stream Technology Inc.

Analyte	Result	Reporting Limit	Units	Dilution	Batch	Prepared	Analyzed	Method	Notes
Bldg.-1D-Walls (7H22023-08) Soil Sampled: 08/21/07 06:45 Received: 08/22/07 09:30									
pyridine	ND	8	ug/l	1	AH73007	08/30/07	09/04/07	8270C-TCLP	U
1,4-dichlorobenzene	ND	8	"	"	"	"	"	"	U
Total cresols (o,m & p)	ND	24	"	"	"	"	"	"	J-02, U
hexachloroethane	ND	8	"	"	"	"	"	"	U
nitrobenzene	ND	8	"	"	"	"	"	"	U
hexachlorobutadiene	ND	8	"	"	"	"	"	"	U
2,4,6-trichlorophenol	ND	16	"	"	"	"	"	"	U
2,4,5-trichlorophenol	ND	8	"	"	"	"	"	"	U
2,4-dinitrotoluene	ND	8	"	"	"	"	"	"	U
hexachlorobenzene	ND	8	"	"	"	"	"	"	U
pentachlorophenol	ND	16	"	"	"	"	"	"	U
Surrogate: 2-Fluorophenol		*86.5 %*		*14-53*	"	"	"	"	*S-04*
Surrogate: Phenol-d6		*103 %*		*10-35*	"	"	"	"	*S-04*
Surrogate: Nitrobenzene-d5		*66.2 %*		*38-96*	"	"	"	"	
Surrogate: 2-Fluorobiphenyl		*62.5 %*		*41-95*	"	"	"	"	
Surrogate: 2,4,6-Tribromophenol		*73.0 %*		*44-124*	"	"	"	"	
Surrogate: Terphenyl-d14		*73.0 %*		*42-127*	"	"	"	"	
Bldg.-1D-Floor (7H22023-09) Soil Sampled: 08/21/07 07:30 Received: 08/22/07 09:30									
pyridine	ND	8	ug/l	1	AH73007	08/30/07	09/04/07	8270C-TCLP	U
1,4-dichlorobenzene	ND	8	"	"	"	"	"	"	U
Total cresols (o,m & p)	ND	24	"	"	"	"	"	"	J-02, U
hexachloroethane	ND	8	"	"	"	"	"	"	U
nitrobenzene	ND	8	"	"	"	"	"	"	U
hexachlorobutadiene	ND	8	"	"	"	"	"	"	U
2,4,6-trichlorophenol	ND	16	"	"	"	"	"	"	U
2,4,5-trichlorophenol	ND	8	"	"	"	"	"	"	U
2,4-dinitrotoluene	ND	8	"	"	"	"	"	"	U
hexachlorobenzene	ND	8	"	"	"	"	"	"	U
pentachlorophenol	ND	16	"	"	"	"	"	"	U
Surrogate: 2-Fluorophenol		*43.4 %*		*14-53*	"	"	"	"	
Surrogate: Phenol-d6		*29.9 %*		*10-35*	"	"	"	"	
Surrogate: Nitrobenzene-d5		*63.2 %*		*38-96*	"	"	"	"	
Surrogate: 2-Fluorobiphenyl		*57.8 %*		*41-95*	"	"	"	"	
Surrogate: 2,4,6-Tribromophenol		*66.1 %*		*44-124*	"	"	"	"	
Surrogate: Terphenyl-d14		*69.8 %*		*42-127*	"	"	"	"	

Sevenson/G-Jobs	Project: Cornell-Dubilier Electronics	
2749 Lockport Road	Project Number: Cornell-Dubilier Electronics G-238	**Reported:**
Niagara Falls NY, 14305	Project Manager: Ken Paisley	10/05/07 15:45

TCLP Semivolatile Organic Compounds by EPA Method 1311/8270C

Waste Stream Technology Inc.

Analyte	Result	Reporting Limit	Units	Dilution	Batch	Prepared	Analyzed	Method	Notes
Bldg.-1West-Walls (7H22023-10) Soil Sampled: 08/21/07 08:00 Received: 08/22/07 09:30									
pyridine	ND	8	ug/l	1	AH73007	08/30/07	09/04/07	8270C-TCLP	U
1,4-dichlorobenzene	ND	8	"	"	"	"	"	"	U
Total cresols (o,m & p)	ND	24	"	"	"	"	"	"	J-02, U
hexachloroethane	ND	8	"	"	"	"	"	"	U
nitrobenzene	ND	8	"	"	"	"	"	"	U
hexachlorobutadiene	ND	8	"	"	"	"	"	"	U
2,4,6-trichlorophenol	ND	16	"	"	"	"	"	"	U
2,4,5-trichlorophenol	ND	8	"	"	"	"	"	"	U
2,4-dinitrotoluene	ND	8	"	"	"	"	"	"	U
hexachlorobenzene	ND	8	"	"	"	"	"	"	U
pentachlorophenol	ND	16	"	"	"	"	"	"	U
Surrogate: 2-Fluorophenol		*50.2 %*		*14-53*	"	"	"	"	
Surrogate: Phenol-d6		*38.2 %*		*10-35*	"	"	"	"	*S-04*
Surrogate: Nitrobenzene-d5		*66.5 %*		*38-96*	"	"	"	"	
Surrogate: 2-Fluorobiphenyl		*60.2 %*		*41-95*	"	"	"	"	
Surrogate: 2,4,6-Tribromophenol		*69.4 %*		*44-124*	"	"	"	"	
Surrogate: Terphenyl-d14		*68.8 %*		*42-127*	"	"	"	"	
Bldg.-1-West-Floor (7H22023-11) Soil Sampled: 08/21/07 08:30 Received: 08/22/07 09:30									
pyridine	ND	8	ug/l	1	AH73007	08/30/07	09/04/07	8270C-TCLP	U
1,4-dichlorobenzene	ND	8	"	"	"	"	"	"	U
Total cresols (o,m & p)	ND	24	"	"	"	"	"	"	J-02, U
hexachloroethane	ND	8	"	"	"	"	"	"	U
nitrobenzene	ND	8	"	"	"	"	"	"	U
hexachlorobutadiene	ND	8	"	"	"	"	"	"	U
2,4,6-trichlorophenol	ND	16	"	"	"	"	"	"	U
2,4,5-trichlorophenol	ND	8	"	"	"	"	"	"	U
2,4-dinitrotoluene	ND	8	"	"	"	"	"	"	U
hexachlorobenzene	ND	8	"	"	"	"	"	"	U
pentachlorophenol	ND	16	"	"	"	"	"	"	U
Surrogate: 2-Fluorophenol		*65.0 %*		*14-53*	"	"	"	"	*S-04*
Surrogate: Phenol-d6		*70.6 %*		*10-35*	"	"	"	"	*S-04*
Surrogate: Nitrobenzene-d5		*73.8 %*		*38-96*	"	"	"	"	
Surrogate: 2-Fluorobiphenyl		*64.2 %*		*41-95*	"	"	"	"	
Surrogate: 2,4,6-Tribromophenol		*69.6 %*		*44-124*	"	"	"	"	
Surrogate: Terphenyl-d14		*72.2 %*		*42-127*	"	"	"	"	

Sevenson/G-Jobs	Project: Cornell-Dubilier Electronics	
2749 Lockport Road	Project Number: Cornell-Dubilier Electronics G-238	**Reported:**
Niagara Falls NY, 14305	Project Manager: Ken Paisley	10/05/07 15:45

TCLP Semivolatile Organic Compounds by EPA Method 1311/8270C

Waste Stream Technology Inc.

Analyte	Result	Reporting Limit	Units	Dilution	Batch	Prepared	Analyzed	Method	Notes
Bldg.-1-East-Wall (7H22023-12) Soil Sampled: 08/21/07 08:55 Received: 08/22/07 09:30									
pyridine	ND	8	ug/l	1	AH73007	08/30/07	09/04/07	8270C-TCLP	U
1,4-dichlorobenzene	ND	8	"	"	"	"	"	"	U
Total cresols (o,m & p)	ND	24	"	"	"	"	"	"	J-02, U
hexachloroethane	ND	8	"	"	"	"	"	"	U
nitrobenzene	ND	8	"	"	"	"	"	"	U
hexachlorobutadiene	ND	8	"	"	"	"	"	"	U
2,4,6-trichlorophenol	ND	16	"	"	"	"	"	"	U
2,4,5-trichlorophenol	ND	8	"	"	"	"	"	"	U
2,4-dinitrotoluene	ND	8	"	"	"	"	"	"	U
hexachlorobenzene	ND	8	"	"	"	"	"	"	U
pentachlorophenol	ND	16	"	"	"	"	"	"	U
Surrogate: 2-Fluorophenol		*94.6 %*		*14-53*	"	"	"	"	*S-04*
Surrogate: Phenol-d6		*125 %*		*10-35*	"	"	"	"	*S-04*
Surrogate: Nitrobenzene-d5		*61.2 %*		*38-96*	"	"	"	"	
Surrogate: 2-Fluorobiphenyl		*57.5 %*		*41-95*	"	"	"	"	
Surrogate: 2,4,6-Tribromophenol		*69.2 %*		*44-124*	"	"	"	"	
Surrogate: Terphenyl-d14		*71.0 %*		*42-127*	"	"	"	"	
Bldg.-1-East-Floor (7H22023-13) Soil Sampled: 08/21/07 09:20 Received: 08/22/07 09:30									
pyridine	ND	8	ug/l	1	AH73007	08/30/07	09/04/07	8270C-TCLP	U
1,4-dichlorobenzene	ND	8	"	"	"	"	"	"	U
Total cresols (o,m & p)	ND	24	"	"	"	"	"	"	J-02, U
hexachloroethane	ND	8	"	"	"	"	"	"	U
nitrobenzene	ND	8	"	"	"	"	"	"	U
hexachlorobutadiene	ND	8	"	"	"	"	"	"	U
2,4,6-trichlorophenol	ND	16	"	"	"	"	"	"	U
2,4,5-trichlorophenol	ND	8	"	"	"	"	"	"	U
2,4-dinitrotoluene	ND	8	"	"	"	"	"	"	U
hexachlorobenzene	ND	8	"	"	"	"	"	"	U
pentachlorophenol	ND	16	"	"	"	"	"	"	U
Surrogate: 2-Fluorophenol		*78.9 %*		*14-53*	"	"	"	"	*S-04*
Surrogate: Phenol-d6		*148 %*		*10-35*	"	"	"	"	*S-04*
Surrogate: Nitrobenzene-d5		*63.2 %*		*38-96*	"	"	"	"	
Surrogate: 2-Fluorobiphenyl		*61.0 %*		*41-95*	"	"	"	"	
Surrogate: 2,4,6-Tribromophenol		*70.0 %*		*44-124*	"	"	"	"	
Surrogate: Terphenyl-d14		*68.2 %*		*42-127*	"	"	"	"	

Sevenson/G-Jobs	Project: Cornell-Dubilier Electronics	
2749 Lockport Road	Project Number: Cornell-Dubilier Electronics G-238	**Reported:**
Niagara Falls NY, 14305	Project Manager: Ken Paisley	10/05/07 15:45

Conventional Chemistry Parameters by EPA Methods

Waste Stream Technology Inc.

Analyte	Result	Reporting Limit	Units	Dilution	Batch	Prepared	Analyzed	Method	Notes
CD-6/7-Cons Lab North-001 (7H22023-01) Soil	**Sampled: 08/15/07 13:26**	**Received: 08/22/07 09:30**							
% Solids	**97.9**	0.1	%	1	AH72721	08/26/07	08/27/07	% calculation	
Bldg.-1A-Walls (7H22023-02) Soil	**Sampled: 08/20/07 08:30**	**Received: 08/22/07 09:30**							
pH	**9.72**	0.10	pH Units	1	AH72324	08/23/07	08/23/07	EPA 9045C	
Bldg.-1A-Floor (7H22023-03) Soil	**Sampled: 08/20/07 09:10**	**Received: 08/22/07 09:30**							
pH	**8.53**	0.10	pH Units	1	AH72324	08/23/07	08/23/07	EPA 9045C	
% Solids	**95.0**	0.1	%	"	AH72405	08/23/07	08/24/07	% calculation	
Bldg.-1B-Walls (7H22023-04) Soil	**Sampled: 08/20/07 09:30**	**Received: 08/22/07 09:30**							
pH	**9.18**	0.10	pH Units	1	AH72324	08/23/07	08/23/07	EPA 9045C	
Bldg.-1B-Floor (7H22023-05) Soil	**Sampled: 08/20/07 10:00**	**Received: 08/22/07 09:30**							
pH	**8.51**	0.10	pH Units	1	AH72324	08/23/07	08/23/07	EPA 9045C	
% Solids	**98.4**	0.1	%	"	AH72405	08/23/07	08/24/07	% calculation	
Bldg.-1C-Walls (7H22023-06) Soil	**Sampled: 08/20/07 10:30**	**Received: 08/22/07 09:30**							
pH	**11.48**	0.10	pH Units	1	AH72324	08/23/07	08/23/07	EPA 9045C	
% Solids	**93.2**	0.1	%	"	AH72405	08/23/07	08/24/07	% calculation	
Bldg.-1C-Floor (7H22023-07) Soil	**Sampled: 08/20/07 11:00**	**Received: 08/22/07 09:30**							
pH	**8.84**	0.10	pH Units	1	AH72324	08/23/07	08/23/07	EPA 9045C	
% Solids	**97.9**	0.1	%	"	AH72405	08/23/07	08/24/07	% calculation	
Bldg.-1D-Walls (7H22023-08) Soil	**Sampled: 08/21/07 06:45**	**Received: 08/22/07 09:30**							
pH	**10.16**	0.10	pH Units	1	AH72324	08/23/07	08/23/07	EPA 9045C	
% Solids	**98.6**	0.1	%	"	AH72405	08/23/07	08/24/07	% calculation	

Sevenson/G-Jobs	Project: Cornell-Dubilier Electronics	
2749 Lockport Road	Project Number: Cornell-Dubilier Electronics G-238	**Reported:**
Niagara Falls NY, 14305	Project Manager: Ken Paisley	10/05/07 15:45

Conventional Chemistry Parameters by EPA Methods

Waste Stream Technology Inc.

Analyte	Result	Reporting Limit	Units	Dilution	Batch	Prepared	Analyzed	Method	Notes
Bldg.-1D-Floor (7H22023-09) Soil Sampled: 08/21/07 07:30 Received: 08/22/07 09:30									
pH	**11.85**	0.10	pH Units	1	AH72324	08/23/07	08/23/07	EPA 9045C	
% Solids	**94.7**	0.1	%	"	AH72721	08/26/07	08/27/07	% calculation	
Bldg.-1West-Walls (7H22023-10) Soil Sampled: 08/21/07 08:00 Received: 08/22/07 09:30									
pH	**6.95**	0.10	pH Units	1	AH72324	08/23/07	08/23/07	EPA 9045C	
% Solids	**99.2**	0.1	%	"	AI70607	09/05/07	09/06/07	% calculation	
Bldg.-1-West-Floor (7H22023-11) Soil Sampled: 08/21/07 08:30 Received: 08/22/07 09:30									
pH	**9.17**	0.10	pH Units	1	AH72324	08/23/07	08/23/07	EPA 9045C	
% Solids	**96.3**	0.1	%	"	AH72721	08/26/07	08/27/07	% calculation	
Bldg.-1-East-Wall (7H22023-12) Soil Sampled: 08/21/07 08:55 Received: 08/22/07 09:30									
pH	**9.07**	0.10	pH Units	1	AH72324	08/23/07	08/23/07	EPA 9045C	
% Solids	**99.1**	0.1	%	"	AI70607	09/05/07	09/06/07	% calculation	
Bldg.-1-East-Floor (7H22023-13) Soil Sampled: 08/21/07 09:20 Received: 08/22/07 09:30									
pH	**11.58**	0.10	pH Units	1	AH72324	08/23/07	08/23/07	EPA 9045C	
% Solids	**95.3**	0.1	%	"	AI70607	09/05/07	09/06/07	% calculation	

Sevenson/G-Jobs	Project: Cornell-Dubilier Electronics	
2749 Lockport Road	Project Number: Cornell-Dubilier Electronics G-238	**Reported:**
Niagara Falls NY, 14305	Project Manager: Ken Paisley	10/05/07 15:45

Physical Parameters by APHA/ASTM/EPA Methods

Waste Stream Technology Inc.

Analyte	Result	Reporting Limit	Units	Dilution	Batch	Prepared	Analyzed	Method	Notes
Bldg.-1A-Walls (7H22023-02) Soil Sampled: 08/20/07 08:30 Received: 08/22/07 09:30									
Ignitability by Flashpoint	>200		deg F.	1	AH72410	08/22/07	08/22/07	EPA 1010	
Reactive Cyanide	ND	40.0	mg/kg	"	AH72408	08/22/07	08/23/07	Section 7.3.3.2	U
Reactive Sulfide	ND	40.0	"	"	AH72407	"	08/23/07	Section 7.3.4.2	U
Bldg.-1A-Floor (7H22023-03) Soil Sampled: 08/20/07 09:10 Received: 08/22/07 09:30									
Ignitability by Flashpoint	>200		deg F	1	AH72410	08/22/07	08/22/07	EPA 1010	
Reactive Cyanide	ND	40.0	mg/kg	"	AH72408	08/22/07	08/23/07	Section 7.3.3.2	U
Reactive Sulfide	ND	40.0	"	"	AH72407	"	08/23/07	Section 7.3.4.2	U
Bldg.-1B-Walls (7H22023-04) Soil Sampled: 08/20/07 09:30 Received: 08/22/07 09:30									
Ignitability by Flashpoint	>200		deg F	1	AH72410	08/22/07	08/22/07	EPA 1010	
Reactive Cyanide	ND	40.0	mg/kg	"	AH72408	08/22/07	08/23/07	Section 7.3.3.2	U
Reactive Sulfide	ND	40.0	"	"	AH72407	"	08/23/07	Section 7.3.4.2	U
Bldg.-1B-Floor (7H22023-05) Soil Sampled: 08/20/07 10:00 Received: 08/22/07 09:30									
Ignitability by Flashpoint	>200		deg F	1	AH72410	08/22/07	08/22/07	EPA 1010	
Reactive Cyanide	ND	40.0	mg/kg	"	AH72408	08/22/07	08/23/07	Section 7.3.3.2	U
Reactive Sulfide	ND	40.0	"	"	AH72407	"	08/23/07	Section 7.3.4.2	U
Bldg.-1C-Walls (7H22023-06) Soil Sampled: 08/20/07 10:30 Received: 08/22/07 09:30									
Ignitability by Flashpoint	>200		deg F	1	AH72410	08/23/07	08/23/07	EPA 1010	
Reactive Cyanide	ND	40.0	mg/kg	"	AH72408	"	08/23/07	Section 7.3.3.2	U
Reactive Sulfide	ND	40.0	"	"	AH72407	"	08/23/07	Section 7.3.4.2	U
Bldg.-1C-Floor (7H22023-07) Soil Sampled: 08/20/07 11:00 Received: 08/22/07 09:30									
Ignitability by Flashpoint	>200		deg F	1	AH72410	08/23/07	08/23/07	EPA 1010	
Reactive Cyanide	ND	40.0	mg/kg	"	AH72408	"	08/23/07	Section 7.3.3.2	U
Reactive Sulfide	ND	40.0	"	"	AH72407	"	08/23/07	Section 7.3.4.2	U

Sevenson/G-Jobs	Project: Cornell-Dubilier Electronics	
2749 Lockport Road	Project Number: Cornell-Dubilier Electronics G-238	**Reported:**
Niagara Falls NY, 14305	Project Manager: Ken Paisley	10/05/07 15:45

Physical Parameters by APHA/ASTM/EPA Methods

Waste Stream Technology Inc.

Analyte	Result	Reporting Limit	Units	Dilution	Batch	Prepared	Analyzed	Method	Notes
Bldg.-1D-Walls (7H22023-08) Soil Sampled: 08/21/07 06:45 Received: 08/22/07 09:30									
Ignitability by Flashpoint	>200		deg F	1	AH72410	08/23/07	08/23/07	EPA 1010	
Reactive Cyanide	ND	40.0	mg/kg	"	AH72408	"	08/23/07	Section 7.3.3.2	U
Reactive Sulfide	ND	40.0	"	"	AH72407	"	08/23/07	Section 7.3.4.2	U
Bldg.-1D-Floor (7H22023-09) Soil Sampled: 08/21/07 07:30 Received: 08/22/07 09:30									
Ignitability by Flashpoint	>200		deg F	1	AH72410	08/23/07	08/23/07	EPA 1010	
Reactive Cyanide	ND	40.0	mg/kg	"	AH72408	"	08/23/07	Section 7.3.3.2	U
Reactive Sulfide	ND	40.0	"	"	AH72407	"	08/23/07	Section 7.3.4.2	U
Bldg.-1West-Walls (7H22023-10) Soil Sampled: 08/21/07 08:00 Received: 08/22/07 09:30									
Ignitability by Flashpoint	>200		deg F	1	AH72410	08/23/07	08/23/07	EPA 1010	
Reactive Cyanide	ND	40.0	mg/kg	"	AH72408	"	08/23/07	Section 7.3.3.2	U
Reactive Sulfide	ND	40.0	"	"	AH72407	"	08/23/07	Section 7.3.4.2	U
Bldg.-1-West-Floor (7H22023-11) Soil Sampled: 08/21/07 08:30 Received: 08/22/07 09:30									
Ignitability by Flashpoint	>200		deg F	1	AH72410	08/23/07	08/23/07	EPA 1010	
Reactive Cyanide	ND	40.0	mg/kg	"	AH72408	"	08/23/07	Section 7.3.3.2	U
Reactive Sulfide	ND	40.0	"	"	AH72407	"	08/23/07	Section 7.3.4.2	U
Bldg.-1-East-Wall (7H22023-12) Soil Sampled: 08/21/07 08:55 Received: 08/22/07 09:30									
Ignitability by Flashpoint	>200		deg F	1	AH72410	08/23/07	08/23/07	EPA 1010	
Reactive Cyanide	ND	40.0	mg/kg	"	AH72408	"	08/23/07	Section 7.3.3.2	U
Reactive Sulfide	ND	40.0	"	"	AH72407	"	08/23/07	Section 7.3.4.2	U
Bldg.-1-East-Floor (7H22023-13) Soil Sampled: 08/21/07 09:20 Received: 08/22/07 09:30									
Ignitability by Flashpoint	>200		deg F	1	AH72410	08/23/07	08/23/07	EPA 1010	
Reactive Cyanide	ND	40.0	mg/kg	"	AH72408	"	08/23/07	Section 7.3.3.2	U
Reactive Sulfide	ND	40.0	"	"	AH72407	"	08/23/07	Section 7.3.4.2	U

Sevenson/G-Jobs	Project: Cornell-Dubilier Electronics	
2749 Lockport Road	Project Number: Cornell-Dubilier Electronics G-238	**Reported:**
Niagara Falls NY, 14305	Project Manager: Ken Paisley	10/05/07 15:45

Notes and Definitions

U	Analyte included in the analysis, but not detected
S-06	The recovery of this surrogate is outside control limits due to sample dilution required from high analyte concentration and/or matrix interference's.
S-04	The surrogate recovery for this sample is outside of established control limits due to a sample matrix effect.
L	L denotes analyte recovery is less than the lower quality control limit.
J-02	The detection limit or result reported for the analyte is considered an estimated value due to a low analyte recovery in the associated LCS.
B	Analyte is found in the associated blank as well as in the sample (CLP B-flag).
DET	Analyte DETECTED
ND	Analyte NOT DETECTED at or above the reporting limit
NR	Not Reported
dry	Sample results reported on a dry weight basis
RPD	Relative Percent Difference

CHAIN OF CUSTODY

WASTE STREAM TECHNOLOGY
Waste Stream Technology Inc.
302 Grote Street, Buffalo, NY 14207
(716) 876-5290 • FAX (716) 876-2412

OFFICE USE ONLY
GROUP #: 7142023
DUE DATE

PAGE 1 OF X2

TURN AROUND TIME: STD

QUOTATION NUMBER:

ARE SPECIAL DETECTION LIMITS REQUIRED: YES (NO) If yes please attach requirements

Is a QC Package required: YES (NO) If yes please attach requirements

REPORT TO: Ben Paisley NFOffice
COMPANY:
PH #: 768 769-5301
FAX #: 768 769-5303
BILL TO: Sivenson Env Svcs
PO #: 6238
PROJECT DESCRIPTION: Cornell Dubilier Superfund
SAMPLER SIGNATURE:

DW DRINKING WATER · GW GROUND WATER · SW SURFACE WATER · WW WASTE WATER · O OIL
SL SLUDGE · SO SOIL · S SOLID · W WIPE · OTHER

ANALYSES TO BE PERFORMED

	SAMPLE I.D.	DATE SAMPLED	TIME OF SAMPLING	SAMPLE TYPE	TOTAL NO. OF CONTAINERS	Total / PCB Filtered & Rec	TYPE OF CONTAINER/ COMMENTS:	OFFICE USE ONLY WST I.D.
1	CD-67-Composite Blank	8/15/07	1526	WW	1	X	8oz Cwm	01
2	Bldg-1A-Walls	8/16/07	0830	S	3	X	1xIL, 2x4oz	02
3	Bldg-1A-Floor	8/16/07	0910	S	3	X X	1xIL, 2x4oz	03
4	Bldg-1B-Walls	8/16/07	0930	S	3	X	1xIL, 2x4oz	04
5	Bldg-1B-Floor	8/16/07	1000	S	3	X X	1xIL, 2x4oz	05
6	Bldg-1C-Walls	8/16/07	1030	S	3	X	1xIL, 2x4oz	06
7	Bldg-1C-Floor	8/16/07	1100	S	3	X X	1xIL, 2x4oz	07
8	Bldg-1D-Walls	8/16/07	0645	S	3	X	1xIL, 2x4oz	08
9	Bldg-1D-Floor	8/16/07	0730	S	3	X X	1xIL, 2x4oz	09
10	Bldg-1-West-Walls	8/16/07	0800	S	3	X	1xIL, 2x4oz	10

REMARKS:

RELINQUISHED BY:	DATE:	TIME:	RECEIVED BY:	DATE:	TIME:
	8/21/07	1500	UPS 1Z 377 F18 22 1000 1089	1 1	
RELINQUISHED BY:	DATE:	TIME:	RECEIVED BY:	DATE:	TIME:
	1 1		SA	8/22/07	930

CDE 2.22091

CHAIN OF CUSTODY

WASTE STREAM TECHNOLOGY

Waste Stream Technology Inc.
302 Grote Street, Buffalo, NY 14207
(716) 876-5290 • FAX (716) 876-2412

OFFICE USE ONLY
GROUP # 7H 22023
DUE DATE

PAGE 2 OF 2

TURN AROUND TIME: STD
QUOTATION NUMBER:

ARE SPECIAL DETECTION LIMITS REQUIRED: YES (NO)
If yes please advise requirements.

Is a QC Package required: YES (NO)
If yes please attach requirements

REPORT TO: Lea Parsley NF
CONTACT: Hank Carr
PHONE: 716-908-769-5307
FAX #: 908-769-5303
BILL TO: G238
P.O.#:
PROJECT DESCRIPTION: Cornell Dubilier
SAMPLER SIGNATURE:

DW DRINKING WATER
GW GROUND WATER
SW SURFACE WATER
WW WASTE WATER
O OIL
SL SLUDGE
SO SOIL
S SOLID
W WIPE
OTHER

ANALYSES TO BE PERFORMED

	SAMPLE ID	DATE SAMPLED	TIME OF SAMPLING	SAMPLE TYPE	TOTAL NO. OF CONTAINERS	Total PCB	Full TCLP + Aqua Char								TYPE OF CONTAINER/ COMMENTS	OFFICE USE ONLY WST. I.D.
1	Bldg 1 - West - Floor	8/2/07	0830	S	3	X	X								2x4, 1x1C	11
2	Bldg 1 - East Wall	8/2/07	0900	S	3	X	X								2x4, 1x1C	12
3	Bldg 1 - East Floor	8/2/07	0920	S	3		X								2x4, 1x1C	13
4																
5																
6																
7																
8																
9																
10																

REMARKS:

RELINQUISHED BY:	DATE:	TIME:	RECEIVED BY:	DATE:	TIME:
	8/2/07	1500	UPS 1Z 377 F18 22 1000 1089	1 1	
RELINQUISHED BY:	DATE:	TIME:	RECEIVED BY:	DATE:	TIME:
	1 1		SJ	8/03/07	930